



# Reducing Locomotive Idling, Fuel Consumption, & Emissions through AESS Systems

How an AESS can aid in saving fuel, reducing emissions and meeting regulatory requirements, and with data connectivity, provide opportunities to improve operational efficiency: A Review



# Table of Content

Executive Summary	3
Introduction	3
<b>Challenges and Considerations</b>	<b>4</b>
Manual Engine Management: A Limiting Paradigm	
Inefficient Emission Reduction	
Uncertain Quantification of Benefits	
Resistance to Change	
Complex Ecosystem & Diverse Fleet	
<b>Solutions</b>	<b>5</b>
Automatic Engine Stop Start (AESS) Systems	
AESS with Data Connectivity	
SmartStart AESS: The most trusted AESS in the world	
SmartStart AESS: Benefits	
SmartStart AESS: SAVER	
<b>Supplemental Benefits</b>	<b>8</b>
Reduced Engine Wear	
Improved Corporate Image and Partnership Opportunities	
Workforce Engagement	
Reduced Noise Pollution and Community Impact	
Regulatory Readiness and Adaptability	
<b>Factors to Consider</b>	<b>9</b>
Initial Investment and Implementation Costs	
Transition and Workforce Training	
<b>SmartStart AESS Adoption</b>	<b>10</b>
<b>SmartStart AESS Return on Investment</b>	<b>11</b>
<b>Path to Success</b>	<b>12</b>
<b>Conclusion</b>	<b>13</b>

## Executive Summary

In today's evolving railway landscape, the integration of innovative technologies has become paramount to enhance efficiency, reduce emissions, and comply with stringent environmental regulations. This whitepaper delves into the transformative power of the SmartStart Automatic Engine Stop-Start (AESS) system. By analyzing the challenges of manual engine management and the potential of AESS, this document underscores how SmartStart delivers unparalleled fuel savings, emissions reduction, and operational advancements. The findings presented herein illuminate the pathway toward a greener, more efficient railway industry.

## Introduction

The modern railway industry finds itself at a critical juncture where the confluence of innovation and sustainability has become imperative. With escalating fuel costs, heightened environmental consciousness, and increasingly stringent regulatory pressures, there exists a pressing need for advanced solutions that not only mitigate emissions but also bolster fuel efficiency. In this context, the SmartStart Automatic Engine Stop-Start (AESS) system emerges as a groundbreaking, proven and transformative technology that promises to revolutionize the railway landscape.

Rail transportation, a vital pillar of global commerce and connectivity, has long been dependent on traditional engine management methods. However, these methods, which largely rely on human intervention, often fall short of achieving optimal results in terms of emission reduction and fuel efficiency. The inherent limitations of manual shutdown and startup procedures introduce errors and inconsistencies, leading to suboptimal efficiency gains.

If not equipped with monitoring systems, quantifying the precise extent of fuel and emission reductions has remained a significant challenge. This limitation not only hampers effective communication with regulatory bodies but also undermines efforts to demonstrate the organization's commitment to environmentally conscious practices.

Automatic Engine Stop-Stop-Start (AESS) technology represents a transformative leap forward in the realm of railway operations, offering an array of invaluable benefits. The SmartStart AESS has been an industry leader in AESS technology. This whitepaper explores the applications of an AESS system and multifaceted capabilities of the SmartStart system, offering an in-depth analysis of its potential to redefine the way locomotives are managed.

# Challenges and Considerations

## Manual Engine Management: A Limiting Paradigm

The conventional approach, characterized by human intervention and reliance on operator judgment, has inherent limitations that prevent the achievement of optimal fuel savings and emissions reduction. Human errors, variability in execution, and lack of standardized protocols often lead to suboptimal outcomes.

## Inefficient Emission Reduction

With the global push for environmentally responsible practices, railways are under increasing pressure to minimize their carbon footprint. However, manual shutdown and startup procedures do not offer the precision and consistency required to achieve optimal emission reductions. Inconsistencies in timing and execution often result in unnecessary idling periods, leading to excessive fuel consumption and emission generation. These inefficiencies not only hamper railways' efforts to comply with stringent emission regulations but also hinder their ability to demonstrate proactive environmental stewardship.

## Uncertain Quantification of Benefits

Accurately quantifying the benefits of fuel savings and emissions reduction has long been a challenge in the industry. The absence of robust monitoring systems that can track and analyze data in real-time prevents railways from providing concrete evidence of the impact of their initiatives. As a result, efforts to communicate achievements to regulatory bodies, stakeholders, and the public are hindered. The lack of data-driven insights not only complicates compliance reporting but also undermines railways' ability to make informed decisions for further improvement.

## Resistance to Change

Introducing new technologies and processes often faces resistance from within the industry. Railroad personnel accustomed to established methods may be hesitant to embrace change, disruptions to their routines and operations. Convincing stakeholders of the benefits and viability of advanced technologies can be challenging, slowing down the adoption of innovations that could significantly improve efficiency and sustainability. Overcoming this resistance and facilitating a smooth transition to more advanced engine management systems is a crucial challenge that must be addressed.

## Complex Ecosystem & Diverse Fleet

The railway landscape is characterized by a diverse fleet of locomotives, each with its own intricacies and specifications. Implementing a uniform engine management strategy across this heterogeneous ecosystem is a complex task. Different locomotive types, models, ages, and manufacturers require tailored solutions that can accommodate these variations while ensuring consistent performance improvements. Finding a system that can seamlessly integrate with this diversity is a challenge that demands innovative solutions and adaptability.

As the railway industry grapples with these multifaceted problems, the SmartStart AESS system emerges as a beacon of hope, promising to address these challenges head-on. The following sections delve into how SmartStart's innovative features and capabilities offer comprehensive solutions to these longstanding problems, setting the stage for a more efficient, sustainable, and forward-looking railway ecosystem.

# Solutions

## Automatic Engine Stop Start (AESS) Systems

An Automatic Engine Stop-Start (AESS) system operates by intelligently managing the engine's shutdown and startup processes in locomotives. Equipped with sensors that monitor crucial parameters such as battery charge, engine coolant temperature, air pressure, and operational status, the AESS system makes real-time decisions based on predefined criteria. When the locomotive is idling and certain conditions are met—such as appropriate temperatures, sufficient battery charge, and no impending use—the AESS initiates an automatic shutdown.

Conversely, when the locomotive is needed for operation, or certain parameters meet a critical threshold, the system seamlessly restarts the engine. This automated cycle not only reduces unnecessary idling and associated fuel consumption but also ensures optimal engine performance and compliance with emissions regulations.

AESS systems enhance operational efficiency while minimizing human intervention and errors, thereby contributing to fuel savings, emission reduction, and improved overall locomotive management.

## AESS with Data Connectivity

In addition to the core functionality of Automatic Engine Stop-Start (AESS), the integration of data connectivity brings a new dimension to the efficiency and management of locomotives. AESS with Data Connectivity leverages real-time data analysis to provide actionable insights into engine performance, fuel consumption, and emissions. By harnessing the power of data, it not only automates engine processes but also provides a wealth of insights into fuel efficiency, emissions reduction, and overall operational performance.

Following this exploration of AESS applications, the subsequent sections delve into the specifics of SmartStart AESS, highlighting its role as a pioneering solution in the realm of AESS technology. This includes a comprehensive analysis of its

features, benefits, and its advanced capabilities with the SmartStart SAVER (SmartStart Advanced Vehicle Enhancement and Reporting) system. While some of features and benefits mentioned below will be available in other AESS Systems, some features, benefits, and capabilities are available only with SmartStart AESS.

## SmartStart AESS: The most trusted AESS in the world

SmartStart® is an industry-leading Automatic Engine Stop-Start (AESS) that has excelled in reducing and managing locomotive idling to delivery exceptional fuel savings over its 30+ years of global history. Many major railroads across the globe trust SmartStart AESS and it has been installed on over 10,000 locomotives globally.

### Fully Automated Operation:

SmartStart AESS presents a paradigm shift from manual engine management to a fully automated solution. By eliminating the need for operator intervention, SmartStart ensures consistent and optimal engine shutdown and startup processes. This automated approach eradicates human errors and inconsistencies, resulting in precise timing that maximizes fuel savings and emission reductions.

### Optimal Emission Reduction:

Leveraging its advanced algorithms and real-time monitoring capabilities, SmartStart achieves optimal emission reduction. By analyzing various parameters such as engine temperature, battery charge, and safety systems, SmartStart ensures that engines are restarted before critical operating thresholds are breached. This proactive approach prevents situations where engine parameters dip to low levels, preserving battery life, and minimizing the risk of engine damage due to freezing. Starting the engine before these parameters drop to low levels also dramatically increases engine starting reliability.

## Universal Applicability:

SmartStart's versatility extends across the entire spectrum of locomotives. Regardless of manufacturer, model, age, or usage, SmartStart can be seamlessly integrated into a wide range of locomotives. This adaptability eliminates the need for extensive modifications, making it an ideal retrofit solution. Even though most modernized locomotives manufacturing in the last 15 years have an integrated AESS, some don't and SmartStart is designed as an optimal solution for those as well.

## SmartStart AESS: Benefits

### Substantial Fuel Savings:

The heart of SmartStart's value proposition lies in its ability to deliver significant fuel savings. By reducing unnecessary idling time, SmartStart minimizes fuel consumption and associated costs. Studies indicate potential savings of 5,000 to 8,000 gallons of fuel per locomotive annually, resulting in substantial financial benefits for rail operators.

### Emission Reductions & Environmental Impact:

By curbing unnecessary idling and fine-tuning engine restarts, SmartStart contributes to lowering the railway industry's carbon footprint. As regulations tighten and environmental concerns intensify, SmartStart offers a concrete and actionable approach to meeting emission reduction targets.

## Safety and Workforce Well-being:

SmartStart eliminates the need for personnel to physically interact with locomotives for shutdown and startup procedures. This reduction in hands-on involvement minimizes the risk of workplace injuries and accidents, fostering a safer work environment.

### Compliance & Reporting:

With accurate and up-to-date data at their disposal, rail operators can easily demonstrate their adherence to regulatory requirements and corporate sustainability goals.

### Operational Enhancements:

Beyond fuel savings and emission reductions, SmartStart offers operational improvements. Features such as load shedding, battery saver, and automated notifications contribute to smoother operations and improved locomotive reliability.

### Future-proof Expansion:

SmartStart's expandable technology paves the way for ongoing enhancements. From extended fuel-saving capabilities to compatibility with additional systems, SmartStart's flexibility ensures that its benefits can evolve alongside changing industry demands.

## SmartStart AESS: SAVER

*(SmartStart Advanced Vehicle Enhancement & Reporting)*

SAVER is an advanced feature of the SmartStart AESS system that offers a comprehensive set of benefits beyond the core automatic engine start-stop functionality. SAVER provides additional advantages for fleet management, fuel savings, and operational efficiency. Here are some key features and benefits of SmartStart SAVER:

### 1. GPS Location & Geofencing:

SmartStart SAVER includes GPS technology that allows for real-time tracking and monitoring of locomotives equipped with the system. Geofencing capabilities enable the definition of virtual boundaries or zones, and notifications are triggered when a locomotive enters or exits these predefined areas.

### 2. Fleet Reports:

SmartStart SAVER provides comprehensive fleet reports that offer insights into the performance of SAVER-equipped locomotives. These reports can include data on fuel consumption, emissions reductions, engine start-stop patterns, and other operational metrics.

### 3. Automated Alarm Notification:

SmartStart SAVER features automated alarm notifications that are sent via text message or email. These notifications provide real-time alerts about locomotive events, anomalies, or issues that require attention.

### 4. Operational Insights:

By analyzing the data collected by SAVER, railroads can uncover patterns, trends, and areas for improvement in fuel efficiency, emissions reduction, and locomotive utilization. Some studies have shown that without visibility on locomotive issues preventing maximum returns, major railroads could be losing millions of dollars annually in unrealized savings.

8,000 gallons of fuel per locomotive saved annually.  
This means:

20 automobiles taken off the road

88 acres of trees saved annually

80 tonnes of CO2 emissions reduced



# Supplemental Benefits

While the core benefits of SmartStart AESS are evident in its fuel savings, emission reductions, and operational enhancements, there exists a set of supplemental and intangible advantages that further solidify its value proposition. These benefits extend beyond the quantitative metrics, enriching the overall impact of SmartStart on the railway industry.

## Reduced Engine Wear

By minimizing unnecessary idling, AESS helps to extend the lifespan of critical engine components. This reduction in wear and tear can lead to longer engine life and lower maintenance costs over the locomotive's operational lifetime.

## Improved Corporate Image & Partnership Opportunities

By visibly implementing technologies like SmartStart that actively contribute to emission reductions and environmental responsibility, rail operators can enhance their corporate image. This positive reputation resonates with shippers, investors, and communities, fostering goodwill and potentially attracting new opportunities and partnerships.

## Workforce Engagement

SmartStart allows railway personnel to focus on higher-value tasks that require human expertise, such as maintenance, troubleshooting, and safety assurance. The transition from routine tasks to more meaningful responsibilities can boost employee job satisfaction, and a sense of professional growth.

## Reduced Noise Pollution & Community Impact

One of the ancillary advantages of SmartStart lies in its contribution to reducing noise pollution, especially in populated urban areas. SmartStart's automated processes ensure that engines are restarted with precision, minimizing unnecessary idling and abrupt engine noises.

## Regulatory Readiness & Adaptability

The railway industry operates within a regulatory landscape that continually evolves to address environmental concerns and technological advancements. By adopting SmartStart AESS, rail operators position themselves as proactive participants in regulatory compliance. SmartStart's ability to monitor, report, and optimize emissions aligns with existing and future emissions standards.

# Factors to Consider

As promising as SmartStart AESS may be in revolutionizing the railway industry, it is essential to acknowledge and address a few items to ensure maximum returns and benefits.

## Initial Investment & Implementation Costs


The adoption of SmartStart AESS requires an initial investment for rail operators. The installation of sensors, communication infrastructure, and control systems across the locomotive fleet demands capital expenditure. Considering the high returns from SmartStart these initial investments are legible, however given all projects must be budgeted and staffed for awareness is important.

## Transition & Workforce Training

The transition to SmartStart AESS necessitates a shift in workforce roles and responsibilities. However, rail personnel who were previously involved in manual shutdown and startup procedures can now focus and perform other important and urgent tasks


up to **10%**

*Locomotive life improvement by AESS systems, according to International Union of Railways (UIC) study, 2020*



# SmartStart AESS Adoption

Here's a comprehensive strategy to ensure successful adoption:




# SmartStart AESS – Return on Investment

Investing in SmartStart AESS is not just a commitment to environmental sustainability but a strategic move for significant financial gains. With a moderate upfront cost ranging between US\$10,000 - 15,000 per unit, the system offers a rapid return on investment (ROI).

Consider this: SmartStart's proven ability to save 5,000 to 8,000 gallons of fuel per locomotive annually translates into substantial cost savings. With an average fuel cost of \$4 per gallon, the financial benefits become evident.

This means that, on average, a rail operator can recoup the initial investment in SmartStart within the first year of implementation. The subsequent years bring not only continued financial savings but also contribute to long-term operational efficiency and environmental stewardship. SmartStart is not just an investment; it's a strategic financial decision that pays off swiftly and sustains over the lifespan of the locomotive.



# Path to Success

Several major rail operators around the world have already embraced SmartStart AESS and reaped its benefits. These success stories underscore the tangible and transformative impact of this innovative solution:

## \$28,000+

*of annual savings per locomotive through the implementation of SmartStart, according to rail operators.*



### EPA Compliance:

SmartStart meets the stringent locomotive emission requirements set forth by the Environmental Protection Agency (EPA). By aligning with these regulations, SmartStart offers a reliable path to compliance, shielding rail operators from potential penalties and ensuring a seamless transition to environmentally conscious practices.

### Financial Gains:

With a payback period in as little as six months, the financial benefits of reduced fuel consumption and optimized engine management become evident within a remarkably short timeframe.

### Remote Reporting and Monitoring:

SmartStart's connectivity capabilities extend beyond fuel and emissions reduction. The system facilitates remote reporting of key performance metrics, enabling rail operators to monitor their fleet's efficiency and make informed decisions based on real-time data. This remote access enhances operational control and empowers rail operators with the insights needed to drive continuous improvement.

# Conclusion

The development and implementation of SmartStart Automatic engine Start-Stop (AESS) technology represent a significant step forward in the railway industry's journey towards operational efficiency, sustainability, and improved environmental stewardship. By automating and optimizing the engine start-stop process in locomotives, SmartStart AESS offers a range of benefits that encompass both economic and environmental dimensions. As with anything new, it is essential to approach this technology with a comprehensive understanding of its potential, acknowledging both its transformative potential and the considerations it presents.

As the global transportation sector continues to grapple with the need to reduce greenhouse gas emissions and enhance energy efficiency, SmartStart AESS emerges as a viable solution for the railway industry to contribute to these overarching goals. The potential for substantial fuel savings and emissions reduction aligns well with international efforts to combat climate change and create a more sustainable future.

As we move forward, the positive knowledge gained from the implementation of SmartStart AESS can serve as a blueprint for the integration of other innovative technologies in the railway sector and beyond. By addressing the challenges head-on and continuously refining the technology based on real-world feedback, the industry can pave the way for a future where efficiency, sustainability, and progress coexist harmoniously.

In conclusion, SmartStart AESS stands as a testament to the industry's capacity for transformation and adaptation. It is not merely a technological upgrade, but a reflection of the industry's commitment to shaping a better and more responsible future for generations to come.



[Learn more about SmartStart AESS](#)

1(519)452-1233

[railwayinfo@ztr.com](mailto:railwayinfo@ztr.com)